



What is new in bleeding disorder treatment?

Kate Khair
GOS



3 things to think about:

- Prophylaxis
- Inhibitor treatment
- New products

Prophylaxis

- UKHCDO guidelines:
 - Start with 1st or 2nd joint bleed
 - 20ED in hospital for haemophilia B
 - Every 48 hours for small children with haemophilia A, and RBD
 - X2/week in haemophilia B
 - Tailored around activity
 - Measurable trough levels
 - (Low dose?) Daily for sporty adolescents
 - Adult prophylaxis!



Inhibitor Prophylaxis

- For those with inhibitors too!
 - FEIBA
 - Novo Seven
 - FVIII (not ITT)
- Short term around bleeds/surgery
- Long term – joint preservation

Inhibitor therapy

- Early detection
- Eradication
 - Longer ITT
 - Immune Suppression
 - Thinking about ITT for long standing inhibs
- New/better products
 - Long acting and fast acting FVIIa
 - FEIBA - ?new vial sizes
 - rPorcine FVIII



New products - haemophilia

- Human cell line rFVIII
 - Octapharma
- New 'me-too' rFVIII and rFIX
 - Novo
 - Inspiration
- Long acting rFVIII + rFIX
 - Biogen
 - Others in pipeline

New products – other BD

- rvWF
 - Baxter
- rFXIII
 - Novo
- PD FX
 - BPL